# Outdoor Crosscube Wall Light 2-Way IP54 230LM 6W 3000K

Partcode: ILDEB034 / Page: 1



A wide range of decorative light patterns are possible with the Crosscube. This compact, cube shaped luminaire features 2-way or 4-way LEDs that wash the wall with a pleasing conical beam. Multiple units spaced across a wall will create intersecting light patterns that will add a wow factor to any exterior facade.

# **Product Details**

Partcode: ILDEB034 Check Code: 242215 Range Name: Wall Light Product Type: Outdoor Warranty: 3 Years CE / RoHS: Yes

## **Physical Data**

Optic: Toughened Glass Material: Die cast aluminium body with powder coated finish Construction: Aluminium, Glass

# integral LED

Partcode: ILDEB034 / Page: 2

## **Physical Data**

Lamp or Luminaire Shape: Square Luminaire Fixing: Wall Mounted

## **Electrical Data**

Power Consumption: 6.0 Watts Driver included: Yes Electric Current: AC Frequency Range: 50/60 Hz Power Factor: >=0.50 Dimming: Non-dimmable LVD Certified: Yes EN: EN 60598, EN 55015, EN 61547, EN 61000

# **Light Data**


Lumens: 230lm Lumens per Watt: 38.0lm/W Beam Angle: 45° Correlated Colour Temperature (CCT): 3000k Colour Temperature: Warm White Colour Rendering Index (CRI): >=80 LED Manufacturer: CREE LED Type: Surface mounted device (SMD) Instant on - Less than 1 second: Yes Lifetime: 25,000 hrs Switching Cycles: >15,000 X

# www.integral-led.com



Partcode: ILDEB034 / Page: 3

#### **Environmental**



Lowest Operating Temperature: -20 degrees Maximum Operating Temperature: 40 degrees IP (Ingress Protection) Rating: IP54 Hg 0% (Mercury Free): Yes

#### Packaging

EAN Barcode (unit of 1): 5055788251170 Packaged Weight (Unit of 1): 350g Length (unit of 1): 90mm Width (unit of 1): 80mm Depth (unit of 1): 65mm

# Outer packaging info available on website

Product data last updated on: Friday, October 25, 2019 - 20:18

### www.integral-led.com